

# Safety Data Sheet

## Pageant Intrinsic Brand Fungicide

Revision date : 2019/04/30  
Version: 6.0

Page: 1/13  
(30510587/SDS\_CPA\_US/EN)

### 1. Identification

#### Product identifier used on the label

## Pageant Intrinsic Brand Fungicide

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, fungicide

Recommended use\*: fungicide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

Company:  
BASF SE  
67056 Ludwigshafen  
GERMANY

Contact address:  
BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932  
USA  
Telephone: +1 973 245-6000

#### Emergency telephone number

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Substance number: 97988  
EPA Registration number: 7969-251  
Molecular formula: C<sub>18</sub> H<sub>12</sub> Cl<sub>2</sub> N<sub>2</sub> O ; C<sub>19</sub> H<sub>18</sub> Cl N<sub>3</sub> O<sub>4</sub>  
Chemical family: strobilurine, carboxylic acid amide  
Synonyms: pyraclostrobin + boscalid

---

### 2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

Acute Tox.	4 (oral)	Acute toxicity
Eye Dam./Irrit.	2B	Serious eye damage/eye irritation

# Safety Data Sheet

## Pageant Intrinsic Brand Fungicide

Revision date : 2019/04/30

Page: 2/13

Version: 6.0

(30510587/SDS\_CPA\_US/EN)

Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic
Combustible Dust	Combustible Dust (1)	Combustible Dust

### Label elements

Pictogram:



Signal Word:

Warning

Hazard Statement:

	May form combustible dust concentration in air.
H320	Causes eye irritation.
H302	Harmful if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P273	Avoid release to the environment.
P280	Wear protective gloves.
P270	Do not eat, drink or smoke when using this product.
P264	Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P337 + P311	If eye irritation persists: Call a POISON CENTER or doctor/physician.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	-------------------------------------------------------------------------------

### Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 30 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 11 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 33 % Inhalation - dust

## 3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

# Safety Data Sheet

## Pageant Intrinsic Brand Fungicide

Revision date : 2019/04/30  
Version: 6.0

Page: 3/13  
(30510587/SDS\_CPA\_US/EN)

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
175013-18-0	12.8 %	pyraclostrobin
188425-85-6	25.2 %	Boscalid
1332-58-7	< 5.0%	Kaolin
577-11-7	0.1 - 1.0%	sodium-di-ethyl-hexyl-sulfosuccinate
7783-20-2	10.0 - 15.0%	Ammonium sulphate

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

##### If inhaled:

Remove the affected individual into fresh air and keep the person calm.

##### If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

##### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

##### If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

#### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

#### Indication of any immediate medical attention and special treatment needed

##### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

### 5. Fire-Fighting Measures

#### Extinguishing media

Suitable extinguishing media:  
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:  
carbon dioxide

# Safety Data Sheet

## Pageant Intrinsic Brand Fungicide

Revision date : 2019/04/30  
Version: 6.0

Page: 4/13  
(30510587/SDS\_CPA\_US/EN)

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, Hydrogen chloride, carbon dioxide, nitrogen oxides, organochloric compounds, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

Avoid raising dust. Sweep/shovel up. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid dust formation. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

# Safety Data Sheet

## Pageant Intrinsic Brand Fungicide

Revision date : 2019/04/30

Page: 5/13

Version: 6.0

(30510587/SDS\_CPA\_US/EN)

Dust explosion class: Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1).

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed. Keep away from heat. Protect against moisture. Protect from direct sunlight.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

## 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

### Components with occupational exposure limits

Kaolin	OSHA PEL	PEL 5 mg/m <sup>3</sup> Respirable fraction ; PEL 15 mg/m <sup>3</sup> Total dust ; TWA value 5 mg/m <sup>3</sup> Respirable fraction ; TWA value 10 mg/m <sup>3</sup> Total dust ;
	ACGIH TLV	TWA value 2 mg/m <sup>3</sup> Respirable fraction ; The value is for particulate matter containing no asbestos and <1% crystalline silica.
Silica gel, precipitated, crystalline free	OSHA PEL	TWA value 6 mg/m <sup>3</sup> ; TWA value 20 millions of particles per cubic foot of air ; TWA value 0.8 mg/m <sup>3</sup> ; The exposure limit is calculated from the equation, 80mg/m <sup>3</sup> /(%SiO <sub>2</sub> ), using a value of 100% SiO <sub>2</sub> . Lower percentages of SiO <sub>2</sub> will yield higher exposure limits.

### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

### Personal protective equipment

#### RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

#### Respiratory protection:

Wear a NIOSH approved (or equivalent) particulate respirator if ventilation is inadequate to control dust.

#### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

# Safety Data Sheet

## Pageant Intrinsic Brand Fungicide

Revision date : 2019/04/30

Page: 6/13

Version: 6.0

(30510587/SDS\_CPA\_US/EN)

### Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

### General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Form:	granules, extrudates	
Odour:	moderate odour, smoky	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	brown	
pH value:	approx. 6 - 8 ( 1 %(m), 20 °C) (as suspension)	
melting range:	approx. 50 °C	
Boiling point:	not applicable	
Flash point:	not applicable	
Flammability:	not highly flammable	(Directive 84/449/EEC, A.10)
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
SADT:	> 75 °C Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)	
Vapour pressure:	negligible	
Density:	approx. 1.51 g/cm <sup>3</sup> ( 20 °C) approx. 12.6016 Lb/USg ( 68 °F)	(OECD Guideline 109)
Bulk density:	approx. 600 kg/m <sup>3</sup> approx. 689 kg/m <sup>3</sup> Apparent density after tamping	
Vapour density:	not applicable	
Self-ignition temperature:	328 °C	(Directive 92/69/EEC, A.16)

# Safety Data Sheet

## Pageant Intrinsic Brand Fungicide

Revision date : 2019/04/30

Version: 6.0

Page: 7/13

(30510587/SDS\_CPA\_US/EN)

Thermal decomposition:	172 °C carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons, To be archived: Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.
Viscosity, dynamic:	not applicable, the product is a solid
Solubility in water:	dispersible
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating (Directive 92/69/EEC, A.17)

Not an oxidizer.

Dust explosion class:

Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1) (St 1)

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

### Incompatible materials

strong acids, strong bases, strong oxidizing agents

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

172 °C

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons, To be archived: Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.

# Safety Data Sheet

## Pageant Intrinsic Brand Fungicide

Revision date : 2019/04/30

Version: 6.0

Page: 8/13

(30510587/SDS\_CPA\_US/EN)

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity/Effects

##### Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

##### Oral

Type of value: LD50

Species: rat

Value: approx. 1,490 mg/kg

##### Inhalation

Type of value: LC50

Species: rat (male/female)

Value: > 5.4 mg/l

Exposure time: 4 h

##### Dermal

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

No mortality was observed.

##### Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

##### Irritation / corrosion

Assessment of irritating effects: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. May cause slight irritation to the eyes. Not irritating to the skin.

##### Eye

Species: rabbit

Result: moderately irritating

##### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

modified Buehler test

Species: guinea pig

Result: Non-sensitizing.

#### Chronic Toxicity/Effects

##### Repeated dose toxicity



# Safety Data Sheet

## Pageant Intrinsic Brand Fungicide

Revision date : 2019/04/30  
Version: 6.0

Page: 9/13  
(30510587/SDS\_CPA\_US/EN)

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*  
*Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.*

*Information on: Pyraclostrobin*  
*Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.*

*Information on: Kaolin*  
*Assessment of repeated dose toxicity: Repeated inhalative uptake of particles/dust reaching the alveoli may cause damage to the lungs.*

*Information on: Silica gel, precipitated, crystalline free*  
*Assessment of repeated dose toxicity: The substance may cause damage to the lung after repeated inhalation of high doses.*

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

## **Symptoms of Exposure**

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

### Medical conditions aggravated by overexposure

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

---

## **12. Ecological Information**

### **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

# Safety Data Sheet

## Pageant Intrinsic Brand Fungicide

Revision date : 2019/04/30

Page: 10/13

Version: 6.0

(30510587/SDS\_CPA\_US/EN)

Very toxic (acute effect) to fish. Very toxic (acute effect) to aquatic invertebrates. Acutely toxic for aquatic plants.

### Toxicity to fish

LC50 (96 h) 0.042 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203)

### Aquatic invertebrates

EC50 (48 h) 0.08 mg/l, *Daphnia magna* (OECD Guideline 202, part 1)

### Aquatic plants

EC50 (72 h) 4.99 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

EC10 (72 h) 1.29 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

### Chronic toxicity to fish

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*  
No observed effect concentration (97 d) 0.116 mg/l, *Oncorhynchus mykiss*

*Information on: pyraclostrobin*

No observed effect concentration (98 d) approx. 0.00235 mg/l, *Oncorhynchus mykiss* (OECD Guideline 210, Flow through.)

### Chronic toxicity to aquatic invertebrates

*Information on: pyraclostrobin*

No observed effect concentration (21 d) 0.004 mg/l, *Daphnia magna* (OECD Guideline 202, part 2, semistatic)

The details of the toxic effect relate to the nominal concentration.

No observed effect concentration (28 d) 0.00128 mg/l, *Mysidopsis bahia* (OPP 72-4 (EPA-Guideline), Flow through.)

The statement of the toxic effect relates to the analytically determined concentration.

### Assessment of terrestrial toxicity

With high probability not acutely harmful to terrestrial organisms.

### Other terrestrial non-mammals

*Information on: pyraclostrobin*

LD50 > 2,000 mg/kg, *Colinus virginianus*

*Colinus virginianus*

LC50, *Anas platyrhynchos*

LD50 > 100 ug/bee, *Apis mellifera*

*Information on: Boscalid*

LD50 > 2,000 mg/kg, *Colinus virginianus*

LC50, *Colinus virginianus*

LC50, *Anas platyrhynchos*

LD50 > 200 ug/bee, *Apis mellifera*

## **Persistence and degradability**

### Assessment biodegradation and elimination (H2O)

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*

# Safety Data Sheet

## Pageant Intrinsic Brand Fungicide

Revision date : 2019/04/30  
Version: 6.0

Page: 11/13  
(30510587/SDS\_CPA\_US/EN)

*Not readily biodegradable (by OECD criteria).*

*Information on: pyraclostrobin*

*Not readily biodegradable (by OECD criteria).*  
-----

### Mobility in soil

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

*Information on: pyraclostrobin*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*  
-----

### Additional information

Other ecotoxicological advice:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

---

## 13. Disposal considerations

### **Waste disposal of substance:**

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### **Container disposal:**

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

### **RCRA:**

This product is not regulated by RCRA.

---

## 14. Transport Information

### **Land transport**

USDOT

Not classified as a dangerous good under transport regulations

### **Sea transport**

# Safety Data Sheet

## Pageant Intrinsic Brand Fungicide

Revision date : 2019/04/30  
Version: 6.0

Page: 12/13  
(30510587/SDS\_CPA\_US/EN)

### IMDG

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHS  
Marine pollutant: YES  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains BOSCALID, PYRACLOSTROBIN)

### Air transport

#### IATA/ICAO

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHS  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains BOSCALID, PYRACLOSTROBIN)

### Further information

The following provisions may apply for product in packages containing a net quantity of 5 kg or less  
ADR, RID, ADN: Special Provision 375;  
IMDG: 2.10.2.7;  
IATA: A197;  
TDG: Special Provision 99(2);  
49CFR: §171.4 (c) (2).

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Crop Protection TSCA, US released / listed

Chemical TSCA, US blocked / not listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

### State regulations

#### State RTK

State RTK	CAS Number	Chemical name
PA	7757-82-6	Sodium sulfate
	7783-20-2	Ammonium sulphate
	1332-58-7	Kaolin
	112926-00-8	Silica gel, precipitated, crystalline free
MA	7757-82-6	Sodium sulfate
	7783-20-2	Ammonium sulphate
	1332-58-7	Kaolin
	112926-00-8	Silica gel, precipitated, crystalline free
NJ	7783-20-2	Ammonium sulphate
	1332-58-7	Kaolin
	112926-00-8	Silica gel, precipitated, crystalline free

# Safety Data Sheet

## Pageant Intrinsic Brand Fungicide

Revision date : 2019/04/30  
Version: 6.0

Page: 13/13  
(30510587/SDS\_CPA\_US/EN)

---

### Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

#### BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

#### NFPA Hazard codes:

Health: 1      Fire: 1      Reactivity: 0      Special:

#### Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

#### CAUTION:

Causes eye irritation.

HARMFUL IF SWALLOWED.

HARMFUL IF ABSORBED THROUGH SKIN.

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Avoid contact with the skin, eyes and clothing.

---

## 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2019/04/30

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

END OF DATA SHEET