

REVOLVER® HERBICIDE

Version 4.0 / USA 102000022418

1/13 Revision Date: 10/19/2021 Print Date: 10/20/2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name	REVOLVER® HERBICIDE
Product code (UVP)	79644205, 86252163
SDS Number	102000022418
EPA Registration No.	432-1266

Relevant identified uses of the substance or mixture and uses advised against

Use	Herbicide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Bayer Environmental Science A division of Bayer CropScience LP 5000 Centregreen Way, Suite 400 Cary, NC 27513 USA
Responsible Department	Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.	
Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577
Product Information Telephone Number	1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200 Skin sensitisation, Aspiration hazard: Category 1 Skin irritation, Carcinogenicity: Category 2

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Danger

Hazard statements May cause an allergic skin reaction.



REVOLVER® HERBICIDE

Version 4.0 / USA 102000022418

2/13 Revision Date: 10/19/2021 Print Date: 10/20/2021

May be fatal if swallowed and enters airways. Causes skin irritation. Suspected of causing cancer.

Precautionary statements

Avoid breathing mist/ spray. Contaminated work clothing should not be allowed out of the workplace. Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF ON SKIN: Wash with plenty of water/ soap. If skin irritation or rash occurs: Get medical advice/ attention. Specific treatment (see supplemental first aid instructions on this label). IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician. Take off immediately all contaminated clothing and wash it before reuse. Do NOT induce vomiting. IF exposed or concerned: Get medical advice/ attention. Store locked up. Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Foramsulfuron Hydrocarbons, C10-C13, aromatics, <1% naphthalene	173159-57-4	2.34 34.31
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8	1.8
Octan-1-ol	111-87-5	1.2
Naphthalene	91-20-3	0.35

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.



REVOLVER® HERBICIDE

Version 4.0/USA 102000022418

3/13 Revision Date: 10/19/2021 Print Date: 10/20/2021

Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Most important symptoms a	nd effects, both acute and delayed
Symptoms	Aspiration may cause pulmonary oedema and pneumonitis.
Indication of any immediate	medical attention and special treatment needed
Risks	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media	
Suitable	Water spray, Carbon dioxide (CO2), Foam, Sand
Unsuitable	High volume water jet
Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen cyanide (hydrocyanic acid), Nitrogen oxides (NOx), Sulphur dioxide (SO2), Dangerous gases are evolved in the event of a fire.
Advice for firefighters	
Special protective equipment for firefighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
Flash point	128 °C / 262.4 °F
Auto-ignition temperature	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	No data available



REVOLVER® HERBICIDE

Version 4.0 / USA 102000022418

4/13 Revision Date: 10/19/2021 Print Date: 10/20/2021

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces. Methods and materials for containment and cleaning up Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal. Additional advice Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants. Reference to other sections Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.
Hygiene measures	Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Conditions for safe storage, i	ncluding any incompatibilities
Requirements for storage areas and containers	Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Foramsulfuron	173159-57-4	10 mg/m3		OES BCS*





Version 4.0 / USA 102000022418

5/13 Revision Date: 10/19/2021 Print Date: 10/20/2021

		(TWA)		
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	200 mg/m3 (TWA)	03 2014	ACGIH
(Non-aerosol.)				
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	400 mg/m3/100 ppm (REL)	2010	NIOSH
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	100 mg/m3 (REL)	2010	NIOSH
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	400 mg/m3/100 ppm (PEL)	02 2006	OSHA Z1
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	400 mg/m3/100 ppm (TWA)	1989	OSHA Z1A
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	400 mg/m3/100 ppm (TWA)	06 2008	TN OEL
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	1,600 mg/m3/400 ppm (TWA PEL)	08 2010	US CA OEL
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	1,350 mg/m3/300 ppm (TWA PEL)	09 2013	US CA OEL
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	1,800 mg/m3/400 ppm (STEL)	09 2013	US CA OEL
1-Octanol	111-87-5	265 mg/m3/50 ppm (TWA)	2007	WEEL
Naphthalene	91-20-3	10 ppm (TWA)	02 2012	ACGIH
Naphthalene	91-20-3	50 mg/m3/10 ppm (REL)	2010	NIOSH
Naphthalene	91-20-3	75 mg/m3/15 ppm (STEL)	2010	NIOSH
Naphthalene	91-20-3	50 mg/m3/10 ppm (PEL)	02 2006	OSHA Z1
Naphthalene	91-20-3	75 mg/m3/15 ppm	06 2008	TN OEL



REVOLVER® HERBICIDE

Version 4.0 / USA 102000022418

6/13 Revision Date: 10/19/2021 Print Date: 10/20/2021

		(STEL)		
Naphthalene	91-20-3	50 mg/m3/10 ppm (TWA)	06 2008	TN OEL
Naphthalene	91-20-3	0.5 mg/m3/0.1 ppm (TWA PEL)	10 2014	US CA OEL
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Biological occupational exposure limits

Components	CAS-No.	Parameters	Biological specimen	Sampling time	Conc.	Basis
Naphthalene	91-20-3	1-Naphthol, with hydrolysis + 2-Naphthol, with hydrolysis		Sampling time: End of shift.		ACGIH BEI

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)
Eye protection	Safety glasses with side-shields
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Form Liquid		
Colour	beige	
Odour	aromatic	
Odour Threshold	No data available	
рН	5.0 - 7.0 (10 %) (23 °C) (deionized water)	

REVOLVER® HERBICIDE

Version 4.0 / USA 102000022418



7/13 Revision Date: 10/19/2021 Print Date: 10/20/2021

Melting point/range	No data available
Boiling Point	No data available
Flash point	128 °C / 262.4 °F
Flammability	No data available
Auto-ignition temperature	No data available
Thermal decomposition	No data available
Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	ca. 0.96 g/cm³ (20 °C)
Water solubility	dispersible
Partition coefficient: n- octanol/water	Foramsulfuron: log Pow: 0.60
Viscosity, dynamic	25 - 100 mPa.s (20 °C) Velocity gradient 20 /s 20 - 60 mPa.s (20 °C) Velocity gradient 100 /s
Viscosity, kinematic	No data available
Oxidizing properties	No data available
Explosivity	No data available
Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.



REVOLVER® HERBICIDE

Version	4.0 / USA
10200002	2418

8/13 Revision Date: 10/19/2021 Print Date: 10/20/2021

Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	Strong acids, Strong bases, Store only in the original container.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin contact, Ingestion, Inhalation
Immediate Effects Eye	Causes moderate eye irritation.
Skin	Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. May cause skin irritation.

Information on toxicological effects

Acute oral toxicity	LD50 (male/female combined Mouse) > 2,000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 5.25 mg/l Exposure time: 4 h Determined in the form of liquid aerosol.
Acute dermal toxicity	LD50 (male/female combined Rat) > 2,000 mg/kg
Skin corrosion/irritation	Irritating to skin. (Rabbit)
Serious eye damage/eye irritation	slight irritation (Rabbit)
Respiratory or skin sensitisation	Skin: Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - single exposure

Foramsulfuron: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Foramsulfuron did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Foramsulfuron was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Foramsulfuron was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Naphthalene

REVOLVER® HERBICIDE

Version 4.0 / USA 102000022418

9/13 Revision Date: 10/19/2021 Print Date: 10/20/2021

NTP		
Naphthalene	91-20-3	
IARC		
Naphthalene	91-20-3	Overall evaluation: 2B
OSHA		
None.		

Assessment toxicity to reproduction

Foramsulfuron did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Foramsulfuron did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

May be fatal if swallowed and enters airways.

Further information

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 6.9 mg/l Exposure time: 48 h	
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) > 5 mg/l Growth rate; Exposure time: 96 h	
	EC50 (Lemna gibba (gibbous duckweed)) 0.75 μg/l Growth rate; Exposure time: 7 d	
Biodegradability	Foramsulfuron: Not rapidly biodegradable	
Кос	Foramsulfuron: Koc: 38 - 151	
Bioaccumulation	Foramsulfuron: Does not bioaccumulate.	
Mobility in soil	Foramsulfuron: Mobile in soils	
Results of PBT and vPvB assessment		
PBT and vPvB assessment	Foramsulfuron: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).	
Additional ecological	The ecological data refer to a similar formulation.	

REVOLVER® HERBICIDE



Version 4.0 / USA 102000022418

10/13 Revision Date: 10/19/2021 Print Date: 10/20/2021

information	No other effects to be mentioned.
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift. Drift or runoff from treated areas may adversely affect non-target plants. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods	
Product	Dispose in accordance with all local, state/provincial and federal regulations.
Contaminated packaging	Consult state and local regulations regarding the proper disposal of container. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR	2002
UN number Class	3082 9
Packaging group	
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (NAPHTHALENE)
RQ	Reportable Quantity is reached with 28,571 lb of product.
IMDG	
UN number	3082
Class Packaging group	9 III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(ALKYL (C3-C6) BENZENE SOLUTION)
ΙΑΤΑ	
UN number	3082
Class Backaging group	9 III
Packaging group	III



REVOLVER® HERBICIDE

Version 4.0 / USA 102000022418

11/13 Revision Date: 10/19/2021 Print Date: 10/20/2021

Environm. Hazardous Mark Proper shipping name YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKYL (C3-C6) BENZENE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification:

COMPOUNDS, TREE OR WEEDKILLING, N.O.I., other than poison; HAVING A DENSITY OF GREATER THAN 20 LBS. PER CUBIC FOOT

SECTION 15: REGULATORY INFORMATION

EPA Registration No. US Federal Regulations TSCA list Fatty acids, C16-18 and C18-u	432-1266 insatd., Me	67762-38-3		
esters Castor oil, ethoxylated Benzenesulfonic acid, mono-C11-13- branched alkyl derivs., calcium salts		61791-12-6 68953-96-8		
Octan-1-ol 111-87-5 US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) No export notification needs to be made. SARA Title III - Section 302 - Notification and Information Not applicable. SARA Title III - Section 313 - Toxic Chemical Release Reporting None.				
US States Regulatory Reporting CA Prop65 WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. Naphthalene 91-20-3				
This product does not contain any substances known to the State of California to cause reproductive harm.				
US State Right-To-Know Ing Octan-1-ol	redients	111-87-5	CT, MN, RI	
Fusing a manufal				

Environmental CERCLA None. Clean Water Section 307(a)(1)



REVOLVER® HERBICIDE

Version 4.0 / USA 102000022418

12/13 Revision Date: 10/19/2021 Print Date: 10/20/2021

Yes Naphthalene 91-20-3 **Safe Drinking Water Act Maximum Contaminant Levels** Yes Naphthalene 91-20-3

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

 Signal word:
 Caution!

 Hazard statements:
 Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

	ilyins	
49CFR	Code of Federal Regulations, Title 49	
ACGIH	US. ACGIH Threshold Limit Values	
ATE	Acute toxicity estimate	
CAS-Nr.	Chemical Abstracts Service number	
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	
EINECS	European inventory of existing commercial substances	
ELINCS	European list of notified chemical substances	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
N.O.S.	Not otherwise specified	
NTP	US. National Toxicology Program (NTP) Report on Carcinogens	
OECD	Organization for Economic Co-operation and Development	
TDG	Transportation of Dangerous Goods	
TWA	Time weighted average	
UN	United Nations	
WHO	World health organisation	
NFPA 704 (National Fire Protection Association):		

Health - 2Flammability - 1Instability - 0Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)Health - 2Flammability - 1Physical Hazard - 0PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard



REVOLVER® HERBICIDE

Version 4.0 / USA 102000022418

13/13 Revision Date: 10/19/2021 Print Date: 10/20/2021

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 4: First Aid Measures. Section 8: Exposure Controls / Personal Protection. Section 10. Stability and reactivity. Section 11: Toxicological Information. Reviewed and updated for general editorial purposes.

Revision Date: 10/19/2021

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.