# SAFETY DATA SHEET

**PURGE® III INSECTICIDE** 

SDS #: 6586-A **Revision date: 2017-12-13** 

> Format: NA Version 1.04



# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

**Product Name** PURGE® III INSECTICIDE

Other means of identification

Product Code(s) 6586-A

**Synonyms** PIPERONYL BUTOXIDE: Butylcarbityl(6-propylpiperonyl) ether, 1,3-Benzodioxole,

5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-;

, N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE: N-(2-ethylhexyl)-5-norbornene-2,3-dicarboximide;

N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-dicarboximide;

, Pyrethrins

Active Ingredient(s) Piperonyl Butoxide, n-Octyl bicycloheptene dicarboximide, Pyrethrins

PCP# 30616

Recommended use of the chemical and restrictions on use

**Recommended Use:** Insecticide

**Restrictions on Use:** Use as recommended by the label

Supplier Address

**FMC** Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527 3887 (CHEMTREC - Alternate)

Medical Emergencies:

1 800 / 331-3148 (ProPharma Group - U.S.A. & Canada)

1 651 / 632-6793 (ProPharma Group - All Other Countries - Collect)

# 2. HAZARDS IDENTIFICATION

### Classification

### **OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

**SDS #**: 6586-A **Revision date**: 2017-12-13

Version 1.04

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Aspiration toxicity	Category 1
Flammable Aerosols	Category 2
Gases Under Pressure	Compressed Gas

### GHS Label elements, including precautionary statements

### **EMERGENCY OVERVIEW**

# Danger

### **Hazard Statements**

H304 - May be fatal if swallowed and enters airways

H332 - Harmful if inhaled

#### Physical Hazards

H223 - Flammable aerosol

H280 - Contains gas under pressure; may explode if heated



### **Precautionary Statements - Prevention**

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

### **Precautionary Statements - Storage**

P405 - Store locked up

P410 + P403 - Protect from sunlight. Store in a well-ventilated place

P412 - Do not expose to temperatures exceeding 50 °C/ 122 °F

# **Precautionary Statements - Disposal**

P501 - Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

# **Other Information**

No information available.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight %
1,1-Difluoroethane	75-37-6	40-50
Petroleum distillates, hydrotreated light	64742-47-8	30-40
Petroleum gases, liquified, sweetened	68476-86-8	10-20
n-Octyl bicycloheptene dicarboximide	113-48-4	3.05
Piperonyl butoxide	51-03-6	1.95
Pyrethrins	8003-34-7	0.975

SDS #: 6586-A

**Revision date: 2017-12-13** 

Version 1.04

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

**Eye Contact** Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin Contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Ingestion Immediately call a poison control center or doctor. Do not induce vomiting unless told to do

so by a poison control center or doctor. Do not give any liquid to the person. Do not induce

vomiting or give anything by mouth to an unconscious person.

Most important symptoms and

effects, both acute and delayed

Central nervous system effects.

Indication of immediate medical attention and special treatment

needed, if necessary

Contains petroleum distillate. Vomiting may cause aspiration pneumonia. Treat

symptomatically.

# 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media** Foam. Carbon dioxide (CO2). Dry chemical. Water spray.

Contents under pressure.

Specific Hazards Arising from the

Chemical

**Explosion data** 

**Sensitivity to Mechanical Impact** Sensitivity to Static Discharge

No information available. No information available.

Protective equipment and precautions for firefighters Isolate fire area. Evaluate upwind. In the event of fire, wear self contained breathing

apparatus.

# 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable

protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

**Environmental Precautions** Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

Prevent further leakage or spillage if safe to do so. **Methods for Containment** 

Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize Methods for cleaning up

spill area, tools and equipment by washing with water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

Rinsate may be disposed at a waste water treatment plant.

# 7. HANDLING AND STORAGE

**SDS #:** 6586-A

Revision date: 2017-12-13

Version 1.04

**Handling** Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 130°F. Do not open by force or throw into fire even after use. Do not spray on flames

or red-hot objects.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

**Incompatible products** Strong oxidizing agents. Bases. Powdered earth metals.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Pyrethrins	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup>	Mexico: TWA 5 mg/m <sup>3</sup>
(8003-34-7)			TWA: 5 mg/m <sup>3</sup>	Mexico: STEL 10 mg/m <sup>3</sup>
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Petroleum distillates,	TWA: 200 mg/m <sup>3</sup>	-	-	-
hydrotreated light	Skin			
(64742-47-8)				
Pyrethrins	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
(8003-34-7)				

#### Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** If there is a potential for exposure to particles which could cause eye discomfort, wear

chemical goggles.

**Skin and Body Protection** Wear long-sleeved shirt, long pants, socks, and shoes.

**Hand Protection** Rubber/latex/neoprene or other suitable chemical resistant gloves.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

**Hygiene measures** Clean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

**General information** If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Appearance Clear, Aerosolized liquid

Physical State Liquid Aerosol

**Color** Clear

Odor No information available Odor threshold No information available

SDS #: 6586-A

**Revision date: 2017-12-13** 

Version 1.04

рΗ No information available

Not applicable Melting point/freezing point

**Boiling Point/Range** No information available

Flash point > 85 °C / > 185 °F (8-inch Flame Extension)

**Evaporation Rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

**Upper flammability limit:** No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available

Density 6.9 lb/gal

Specific gravity No information available Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing properties** No information available Molecular weight No information available No information available **Bulk density** 

# 10. STABILITY AND REACTIVITY

None under normal use conditions. Reactivity

**Chemical Stability** Stable under recommended storage conditions.

**Possibility of Hazardous Reactions** None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

Keep away from open flames, hot surfaces and sources of ignition. Conditions to avoid

Incompatible materials Strong oxidizing agents. Bases. Powdered earth metals. Hazardous Decomposition Products Carbon oxides (COx), hydrogen fluoride, Carbonyl fluoride.

### 11. TOXICOLOGICAL INFORMATION

### **Product Information**

LD50 Oral 2140 mg/kg (rat) LD50 Dermal > 2000 mg/kg (rabbit) LC50 Inhalation 2.5 mg/L 4 hr (rat)

Serious eye damage/eye irritation

Skin corrosion/irritation

Slightly or non-irritating (rabbit). Slightly or non-irritating (rabbit).

Non-sensitizing Sensitization

### Information on toxicological effects

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. **Symptoms** 

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Mutagenicity Piperonyl butoxide ether may affect mammalian liver microsomal detoxification enzymes.

> n-Octyl bicycloheptene dicarboximide was negative in a chromosome aberration assay, Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).

Carcinogenicity No information available. Reproductive toxicity

STOT - single exposure Not classified.

**SDS #**: 6586-A **Revision date**: 2017-12-13

Version 1.04

STOT - repeated exposure Target organ effects Not classified.

Mice fed 0.3 or 0.9% piperonyl butoxide in the diet for 20 days had increased liver weight and other signs of liver toxicity. Male rats given up to 2.4% of piperonyl butoxide in the diet for up to 12 weeks had clinical and histologic signs of liver damage; the highest dose group showed preneoplastic changes, including enlargement of hepatocyte nuclei and

multinucleated cells. Kidney damage was also seen.

**Aspiration hazard** 

Potential for aspiration if swallowed. May be fatal if swallowed and enters airways.

Chemical name	ACGIH	IARC	NTP	OSHA
Piperonyl butoxide 51-03-6		Group 3		
Pyrethrins 8003-34-7		Group 2A		

### Legend:

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Group 3 - Not classifiable as to its carcinogenicity to humans

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Piperonyl butoxide (51-03-6)				
Active Ingredient(s)	Duration	Species	Value	Units
Piperonyl Butoxide	LC50	Fish	3.94	ppm
	LD50	Bee	25	μg/bee
	LD50	Bobwhite quail	>2250	mg/kg
	LD50	Mallard duck	>5620	ppm

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Pyrethrins		96 h LC50: = 0.054 mg/L	
8003-34-7		(Oncorhynchus mykiss) 96 h LC50:	
		0.02 - 0.03 mg/L (Oncorhynchus	
		mykiss) static 96 h LC50: = 0.074	
		mg/L (Lepomis macrochirus) 96 h	
		LC50: 0.0425 - 0.121 mg/L	
		(Pimephales promelas) flow-through	
		96 h LC50: 0.003 - 0.0046 mg/L	
		(Lepomis macrochirus) flow-through	
		96 h LC50: 0.224 - 0.458 mg/L	
		(Pimephales promelas) static 96 h	
		LC50: 0.0031 - 0.0038 mg/L	
		(Oncorhynchus mykiss)	
		flow-through 96 h LC50: 0.0322 -	
		0.0472 mg/L (Lepomis macrochirus)	
		static	

Persistence and degradability

No information available.

No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.

**Contaminated Packaging** 

Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

**SDS #:** 6586-A

Revision date: 2017-12-13

Version 1.04

# 14. TRANSPORT INFORMATION

**DOT**USDOT is requiring that products formerly classified as "Consumer Commodity, ORM-D"

transition to "Limited Quantity" by 12/31/2020. During the transition period the 49CFR carton shipping marks may be Consumer Commodity (old) or Limited Quantity Diamond

(new). Please prepare shipping documents to match the carton mark.

Packaging Type 7.3 oz Containers
Proper Shipping Name Consumer commodity

Hazard class ORM-D

**TDG** 

UN/ID no UN1950
Proper Shipping Name Aerosols
Hazard class 2.1

**Description** UN1950, Aerosols (1-1-Difluroethane, Isopropyl alcohol), 2.1

ICAO/IATA

UN/ID no ID8000

Proper Shipping Name Consumer commodity

Hazard class 9

IMDG/IMO

UN/ID no UN1950
Proper Shipping Name Aerosols
Hazard class 2.1
EmS No. F-D, S-U

**Description** UN1950, Aerosols (1-1-Difluoroethane, Isopropyl alcohol), 2.1

# 15. REGULATORY INFORMATION

# U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Piperonyl butoxide - 51-03-6	51-03-6	1.95	1.0

# SARA 311/312 Hazard Categories

Acute health hazard
Chronic health hazard
Fire hazard
Sudden release of pressure hazard
Reactive Hazard
Yes
Yes
Yes
No

# **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Pyrethrins 8003-34-7	1 lb			

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

**SDS #**: 6586-A **Revision date**: 2017-12-13

Version 1.04

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Pyrethrins	1 lb	
8003-34-7	0.454 kg	

### FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### CAUTION

Contains petroleum distilliate. Harmful if absorbed through the skin.

# **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,1-Difluoroethane	X	X	
75-37-6			
Piperonyl butoxide	X		
51-03-6			
Pyrethrins	X	X	X
8003-34-7			

# **International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
1,1-Difluoroethane 75-37-6	X	Х	Х	Х	Х	Х	X	Х
Petroleum distillates, hydrotreated light 64742-47-8	Х	Х	Х		Х	Х	Х	Х
Petroleum gases, liquified, sweetened 68476-86-8	Х	Х	X		Х	Х	Х	Х
n-Octyl bicycloheptene dicarboximide 113-48-4		Х	X	Х	Х		Х	Х
Piperonyl butoxide 51-03-6	Х	Х	Х	Х	Х	Х	Х	Х
Pyrethrins 8003-34-7		Х	Х		Х	Х	Х	Х

### Mexico - Grade

Moderate risk, Grade 2

Chemical name	Carcinogen Status	Mexico
Pyrethrins		Mexico: TWA 5 mg/m <sup>3</sup>
· ·		Mexico: STEL 10 mg/m <sup>3</sup>

Chemical name	Mexico - Pollutant Release and	Pollutant Release and Transfer
CHEIHCAI HAIHE	I WEXICO - FUIIULAIIL INCICASE AIIU	FUIIULAIIL IVEIEASE AIIU ITAIISIEL

SDS #: 6586-A

Revision date: 2017-12-13

Version 1.04

	Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Register - Reporting Emissions - Threshold Quantities	
Pyrethrins	500 2500 kg/yr	500 kg/yr	

### **CANADA**

### **WHMIS Statement**

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

**WHMIS Hazard Class** 

A - Compressed gases B5 - Flammable aerosol D2B - Toxic materials







# 16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 3	Instability 0	Special Hazards -
HMIS	Health Hazards 2	Flammability 3	Physical hazard 0	Personal Protection X

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

**Revision date:** 2017-12-13

Reason for revision: (M)SDS sections updated

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared By:

**FMC** Corporation

FMC Logo - Trademark of FMC Corporation

© 2017 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet