

Section 2 (ee) Recommendation

Date: May 26, 2010

Products: Banner Maxx® II Fungicide

EPA Registration No. 100-1326

Use: For use on Brown Ring Patch (Waitea circinata var. circinata) & Rhizoctonia Leaf

and Sheath Spot [Waitea circinata var. zeae (Rhizoctonia zeae)] on turfgrass

States: AL, AR, AZ, CA, CO, CT, DE, FL, GA, HI, IA, ID, IL, IN, KS, KY, LA, MA, ME, MI,

MN, MO, MD, MS, MT, NE, NC, ND, NH, NM, NJ, NV, OK, OH, PA, RI, SC, SD,

TN, UT, VA, VT, WA, WI, WV, WY

This recommendation is made under the authority of FIFRA Section 2(ee) and recommends an application of Banner Maxx II Fungicide on turfgrass at the recommended rates in the above states.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- 1. Use 1.0 2.0 fl. oz/1,000 sq. ft. of Banner Maxx II on turfgrass. Apply at 14 21 day intervals.
- 2. Apply when conditions are favorable for disease development.

The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.

The user should have this recommendation in its possession at the time of use.

Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.

This recommendation for use of Banner Maxx II Fungicide is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

© 2010 Syngenta.

Syngenta Crop Protection, Inc. Greensboro, NC 27419

Banner Maxx[®] II and the Syngenta logo trademarks of a Syngenta group company.

Label code: AL1326073AC0510